








هایک ویژن سیستم، نمایندگی رسمی هایک ویژن در ایران







برای اطلاع از تخفیفات جشنواره با شماره 02166708408 تماس بگیرید






پشتیبانی 24 ساعته : ۰۹۱۹۷۱۰۸۳۵۰







خیابان جمهوری بعد از پل حافظ پاساژ نادری طبقه اول پلاک 12

Items	Description	User Price	
	Mini Bullet Series		
1 DS-2CD1023G0E-I	2.0 MP IR Network Bullet Camera -1/2.8" progressive scan CMOS - Max. Frame Rate: 60Hz: 30fps (1920 × 1080, 1280 × 960, 1280 × 720 - 3D DNR (Digital Noise Reduction) - Up to 30 m IR range - 2.8 mm/4 mm/6 mm fixed lens - PoE (Power over Ethernet) - H.265+, H.265, H.264+, H.264 - IP67 - Dual stream - Digital WDR (Wide Dynamic Range) - ECO CASE	IRR 25,560,000	


2	DS-2CD1021G0-I	Hikvision 2MP Mini IR Network Bullet camera, 1/2.8" Progressive CMOS, ICR, 1920x1080:20fps (P)/(N), H.265 / H.264+ & H.264, 3D DNR, BLC, IR range: up to 30m, DC12V & PoE Rs. 0.001Is our price higher or showing zero? Please chat now and ask for the best price. Prices if shown are inclusive of applicable taxes. Tax rate may be adjusted as per customer's taxation status. For supply of product only, excluding any cabling and/or installation. Shipping charges can sometimes vary.	IRR 28,300,000	
4	DS-2CD1023G0-IUF	High quality imaging with 2 MP resolution, Efficient H.265+ compression technology , Clear imaging against strong back light due to DWDR technology , Water and dust resistant (IP67) , EXIR 2.0: advanced infrared technology with long IR range , Support up to 256 GB SD card storage , Built-in microphone for real-time audio security	IRR 40,770,000	
5	DS-2CD1047G0-L ColorVu Lite	4 MP <u>ColorVu Lite</u> Fixed Bullet Network Camera, High quality imaging with 4 MP resolution Excellent low-light performance, Efficient H.265+ compression technology, Water and dust resistant (IP67), 24/7 colorful imaging	IRR 48,590,000	
6	DS-2CD1043G0-I	4.0 MP IR Network Bullet Camera, 1/3" progressive scan CMOS , 3D DNR (Digital Noise Reduction), 2560 × 1440@20fps - Up to 30 m IR range, 2.8 mm/4 mm/6 mm fixed lens - PoE (Power over Ethernet), H.265+, H.265, H.264+, H.264 , IP67, Dual stream, Digital WDR (Wide Dynamic Range)	IRR 35,200,000	
7	DS-2CD1057G0-L	5MP ColorVu Lite Fixed Bullet Network Camera, High quality imaging with 5 MP resolution Excellent low-light performance, Efficient H.265+ compression technology, Water and dust resistant (IP67), 24/7	تماس بگیرید	
8	DS-2CD1053G0-I	5 MP Fixed Bullet Network Camera High quality imaging with 5 MP resolution. Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR (IP67) EXIR 2.0: advanced infrared technology with long IR range -UF: Built-in microphone for real-time audio security	IRR 51,940,000	






9	DS-2CD1067G2-L (2.8mm)	6MP ColorVu Lite Fixed Bullet Network Camera, High quality imaging with 5 MP resolution Excellent low-light performance, Efficient H.265+ compression technology, Water and dust resistant (IP67), 24/7	IRR 61,510,000	
10	<u>Lite Dome Series</u>			
11	DS-2CD1321G0-I	1/2.8" progressive scan CMOS - 1920 × 1080@30fps - 2.8 mm/4 mm/6 mm fixed lens - H.264+, H.264 - Dual stream - Digital WDR (Wide Dynamic Range) - 3D DNR (Digital Noise Reduction) - Up to 30 m IR range - PoE (Power over Ethernet) - IP67	IRR 28,300,000	
12	DS-2CD1323G0-IUF (2.8)	1/2.8" progressive scan CMOS - 1920 × 1080@30fps - 2.8 mm/4 mm/6 mm fixed lens - H.264+, H.264 - Dual stream - Digital WDR (Wide Dynamic Range) - 3D DNR (Digital Noise Reduction) - Up to 30 m IR range - PoE (Power over Ethernet) - IP67 - Built-in microphone	IRR 27,110,000	
13	DS-2CD1327G0-L ColorVu	2 MP <u>ColorVu Lite</u> Fixed Turret Network Camera, High quality imaging with 2 MP resolution Excellent low-light performance, Efficient H.265+ compression technology, Water and dust resistant (IP67), 24/7 colorful imaging	IRR 35,000,000	
14	DS-2CD1347G0-L ColorVu	High quality imaging with 4 MP resolution. Excellent low-light performance. Efficient H.265+ compression technology. Water and dust resistant (IP67). 24/7 colorful imaging.	IRR 58,790,000	
15	DS-2CD1123G0E-I	2MP dome Exir, fixed lens 2.8mm, white color-1/2.8" progressive scan CMOS - 3D DNR (Digital Noise Reduction) - 1920 × 1080@30fps - Up to 30 m IR range - 2.8 mm/4 mm/6 mm fixed lens - PoE (Power over Ethernet) - H.265+, H.265, H.264+, H.264 - IP67, IK10 - Digital WDR (Wide Dynamic Range) - ECO CASE	IRR 26,100,000	






16	DS-2CD2126G2-ISU 2.8mm	<p>2 MP AcuSense Fixed Dome Network Camera High quality imaging with 2 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle classification based on deep learning -SU: Built-in microphone for real-time audio security, Audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 66,540,000	
17	DS-2CD2123G2-IU	<p>High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 54,270,000	
18	DS-2CD2125FHWD-IS	<p>2 MP High Frame Rate Fixed Dome Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology High frame rate video to illustrate smooth movement -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials.</p>	IRR 49,060,000	
19	DS-2CD2H25FWD-IZS	<p>2 MP Powered-by-DarkFighter Varifocal Turret Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.</p>	IRR 135,980,000	
20	DS-2CD1143G0-I	<p>4.0 MP IR Network Dome Camera, 1/3" progressive scan CMOS - 3D DNR (Digital Noise Reduction), 2560 × 1440@20fps - Up to 30 m IR range, 2.8 mm/4 mm/6 mm fixed lens ,PoE (Power over Ethernet), H.265+, H.265, H.264+, H.264 - IP67, IK10, Dual stream, Digital WDR (Wide Dynamic Range)</p>	IRR 39,830,000	

21	DS-2CD1143G0-IUF	<p>High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range Support up to 256 GB SD card storage Built-in microphone for real-time audio security</p>	IRR 45,440,000	
22	DS-2CD1153G0-I	<p>5 MP Fixed Dome Network Camera High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) and vandal resistant (IK10) EXIR 2.0: advanced infrared technology with long IR range</p>	IRR 54,540,000	
23	Mini Bullet Series			
24	DS-2CD2025FHWD-I	<p>2 MP High Frame Rate Fixed Mini Bullet Network Camera High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology High frame rate video to illustrate smooth movement Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	IRR 68,600,000	
25	DS-2CD2021G1-I (2.8)	<p>High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Support up to 256 GB SD card storage</p>	IRR 47,980,000	
26	DS-2CD2023G2-I (2.8)	<p>High quality imaging with 2 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	IRR 58,790,000	
27	DS-2CD2027G2-L (2.8)	<p>High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology 24/7 colorful imaging Focus on human and vehicle classification based on deep learning Water and dust resistant (IP67)</p>	IRR 68,200,000	






28	DS-2CD2043G2-I 2.8mm	<p>4 MP AcuSense Fixed Bullet Network Camera High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	IRR 63,900,000	
29	DS-2CD2043G2-IU (2.8)	<p>4 MP AcuSense Fixed Bullet Network Camera High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology -U: Built-in microphone for real-time audio security Water and dust resistant (IP67) Focus on human and vehicle targets classification based on deep learning</p>	IRR 66,080,000	
30	DS-2CD2045FWD-I	<p>4 MP Powered-by-DarkFighter Fixed Mini Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal material.</p>	تماس بگیریید	
31	DS-2CD2046G2-I	<p>4 MP AcuSense Fixed Mini Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time auto security(-U) Water and dust resistant (IP67)</p>	IRR 72,950,000	

32	DS-2CD2047G2-L (2.8)	<p>High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	IRR 68,100,000	
33	DS-2CD2085G1-I	<p>4K Powered-by-DarkFighter Fixed Mini Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal material.</p>	IRR 90,040,000	
34	DS-2CD2086G2-I	<p>4K AcuSense Fixed Mini Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)</p>	IRR 97,000,000	
35	DS-2CD2063G2-I	<p>6 MP IR Fixed Bullet Network Camera - 1/2.9" Progressive Scan CMOS - 3072 x 2048@20 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	IRR 66,620,000	
36	DS-2CD2083G2-I (2.8)	<p>8 MP IR Fixed Bullet Network Camera - 1/2.5" Progressive Scan CMOS - 3840 x 2160 @15 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI/HLC - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	IRR 69,230,000	






37	DS-2CD2666G2-IZS	<p>6 MP AcuSense Motorized Varifocal Bullet Network Camera</p> <p>High quality imaging with 6 MP resolution</p> <p>Motorized varifocal lens for easy installation and monitoring</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Audio and alarm interface available</p> <p>Water and dust resistant (IP66) and vandal proof (IK10)</p>	IRR 152,640,000	
38	DS-2CD2087G2-LU (2.8MM)	<p>4 K ColorVu Fixed Bullet Network Camera</p> <p>High quality imaging with 8 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 130 dB WDR technology</p> <p>Focus on human and vehicle classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Built-in microphone for real-time audio security (-U)</p>	IRR 156,550,000	
39	<u>Dome Series</u>			
40	DS-2CD2143G2-IU	<p>4 MP Vandal Built-in Mic Fixed Dome Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology, Efficient H.265+ compression technology, Built-in microphone for real-time audio security</p> <p>Water and dust resistant (IP67) and vandal resistant (IK10)</p> <p>Focus on human and vehicle targets classification based on deep learning</p>	IRR 58,210,000	
41	DS-2CD2346G2-IU	<p>4 MP AcuSense Fixed Bullet Network Camera</p> <p>High quality imaging with 4 MP resolution</p> <p>Excellent low-light performance with powered-by-DarkFighter technology</p> <p>Clear imaging against strong backlight due to 120 dB WDR technology</p> <p>Efficient H.265+ compression technology</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>Built-in microphone for real-time audio security(-U)</p>	IRR 76,820,000	
42	DS-2CD2347G2-L (2.8)	<p>High quality imaging with 4 MP resolution</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong backlight due to 130 dB WDR technology</p> <p>Built-in microphone for real-time audio security(-U)</p> <p>Focus on human and vehicle targets classification based on deep learning</p> <p>24/7 colorful imaging</p> <p>Water and dust resistant (IP67)</p>	IRR 75,750,000	

43	DS-2CD2347G2-LU (2.8)	<p>High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Built-in microphone for real-time audio security(-U) Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	IRR 89,760,000	
44	DS-2CD2327G2-L (2.8)	<p>2 MP ColorVu Fixed Turret Network Camera High quality imaging with 2 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Built-in microphone for real-time audio security(-U) 24/7 colorful imaging Water and dust resistant (IP67)</p>	IRR 70,080,000	
45	DS-2CD1353G0-I (2.8 MM)	<p>5MP Fixed Turret Network Camera High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Water and dust resistant (IP67) EXIR 2.0: advanced infrared technology with long IR range -UF: Built-in microphone for real-time audio security</p>	IRR 52,050,000	
46	DS-2CD1357G0-L	<p>5MP ColorVu Lite Fixed Turret Network Camera High quality imaging with 5 MP resolution ☑ Excellent low-light performance ☑ Efficient H.265+ compression technology ☑ Water and dust resistant (IP67) ☑ 24/7 colorful imaging</p>	IRR 60,600,000	
47	DS-2CD2145FWD-IS	<p>4 MP Powered-by-DarkFighter Fixed Dome Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials.</p>	IRR 49,060,000	

48	DS-2CD2146G2-I	<p>4 MP AcuSense Fixed Dome Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time auto security(-SU) Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	IRR 49,240,000	
49	DS-2CD2147G2	<p>4 MP ColorVu Fixed Dome Network Camera High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology 24/7 colorful imaging Focus on human and vehicle targets classification based on deep learning -SU: Built-in microphone for real-time audio security, audio and alarm interface available Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 86,980,000	
50	DS-2CD2163G2-IU	<p>6 MP IR Fixed Dome Network Camera - 1/2.9" Progressive Scan CMOS - 3072 x 2048@20 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI - IP66 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Built-in microphone</p>	IRR 62,270,000	
51	DS-2CD2166G2-ISU(2.8)	<p>6 MP AcuSense Fixed Dome Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security (-SU) Audio and alarm interface available(-SU) Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 87,390,000	
52	DS-2CD2166G2-I (2.8mm)	<p>6 MP AcuSense Fixed Dome Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security (-SU) Audio and alarm interface available(-SU) Water and dust resistant (IP67) and vandal resistant (IK10)</p>	تماس بگیرید	



53	DS-2CD2183G2-IU	<p>8 MP AcuSense Vandal Fixed Dome Network Camera High quality imaging with 8 MP resolution Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	67.660.000	
54	DS-2CD2186G2-ISU	<p>4K Acusense Fixed Dome Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security (-SU) Audio and alarm interface available(-SU) Water and dust resistant (IP67) and vandal resistant (IK10)</p>	IRR 108,960,000	
55	DS-2CD2183G0-IS	<p>8 MP IR Fixed Dome Network Camera - BLC/3D DNR/ROI - IP67, IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - 1/2.5" Progressive Scan CMOS - 3840 x 2160 @15 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection -120dB WDR - S: Audio/Alarm IO connectors</p>	تماس بگیرید	
56	DS-2CD2185FWD-I	<p>4K Fixed Dome Network Camera High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology -S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Robust structure design with full metal materials.</p>	IRR 92,810,000	
57	Bullet Series			
58	DS-2CD1T43G2-LIU	<p>4 MP Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Dual-Light: advanced technology with long range Built-in microphone for real-time audio security Water and dust resistant (IP67) Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional)</p>	IRR 43,020,000	


59	DS-2CD2T43G0-I5	1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8/4/6/8mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+, H.265, H.264+, H.264,Three streams,120dB WDR,2 Behavior analyses, and face detection,BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB-up to 50m IR range	تماس بگیرید	
60	DS-2CD2T43G0-I8	1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8/4/6/8mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+, H.265, H.264+, H.264,Three streams,120dB WDR,2 Behavior analyses, and face detection,BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB-up to 80m IR range	تماس بگیرید	
61	DS-2CD2T43G2-2I (2.8mm)	1/3" Progressive Scan CMOS,2688 ×1520@30fps,2.8/4/6/8mm fixed lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR, H.265+, H.265, H.264+, H.264,Three streams,120dB WDR,2 Behavior analyses, and face detection,BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB-up to 80m IR range	IRR 64,290,000	
62	DS-2CD2T43G2-2I (4mm)	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67). -2I: up to 60 m Focus on human and vehicle targets classification based on deep learning-- 2.8mm	IRR 64,300,000	
63	DS-2CD2T43G2-4I	High quality imaging with 4 MP resolution Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology Water and dust resistant (IP67). -4I: up to 80 m Focus on human and vehicle targets classification based on deep learning-- 4mm	IRR 69,610,000	
64	DS-2CD2T45FWD-I5 lenz4	4 MP Powered-by-DarkFighter Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.	IRR 52,170,000	

65	DS-2CD2T45FWD-I8 2.8mm	<p>4 MP Powered-by-DarkFighter Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials</p>	تماس بگیرید	
66	DS-2CD2T46G2-4I (2.8mm)	<p>4 MP AcuSense Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)</p>	تماس بگیرید	
67	DS-2CD2T46G2-ISU/SL2.8mm	<p>4 MP AcuSense Strobe Light and Audible Warning Fixed Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Active strobe light and audio alarm to warn intruders off Provides real-time security via built-in two-way audio Water and dust resistant (IP67)</p>	تماس بگیرید	
68	Ds-2CD2T47G2-L-(4mm)	<p>4 MP ColorVu Fixed Bullet Network Camera High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 130 dB WDR technology Focus on human and vehicle targets classification based on deep learning 24/7 colorful imaging Water and dust resistant (IP67)</p>	IRR 81,420,000	
69	DS-2CD2T63G0-I8	<p>6 MP IR Fixed Bullet Network Camera - BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - 1/2.9" Progressive Scan CMOS - 3072 x 2048@20 fps - 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - up to 80m IR range</p>	تماس بگیرید	

70	DS-2CD2T63G2-4I	<p>High quality imaging with 6 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Water and dust resistant (IP67)</p>	IRR 71,110,000	
71	DS-2CD2066G2-I	<p>6 MP AcuSense Fixed Bullet Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Built-in microphone for real-time audio security(-U) Water and dust resistant (IP67)</p>	IRR 77,010,000	
72	DS-2CD2T66G2-2I (2.8mm)	<p>6 MP AcuSense Fixed Bullet Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)</p>	تماس بگیرید	
73	DS-2CD2T66G2-4I 4mm	<p>6 MP AcuSense Fixed Bullet Network Camera High quality imaging with 6 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)</p>	IRR 90,440,000	
74	DS-2CD2T87G2-LK 4mm	<p>High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging</p>	IRR 154,120,000	

75	DS-2CD2T87G2-L 2.8M	<p>4 K ColorVu Fixed Bullet Network Camera High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 130 dB WDR technology Focus on human and vehicle classification based on deep learning 24/7 colorful imaging</p>	IRR 154,120,000	
76	DS-2CD1T83G0-I (4mm)	<p>8 MP Smart Hybrid Light Fixed Bullet Network Camera High quality imaging with 4 MP resolution Support Human and Vehicle Detection Smart Dual-Light: advanced technology with long range Built-in microphone for real-time audio security Water and dust resistant (IP67) Efficient H.265+ compression technology Support on-board storage up to 512 GB (SD card slot) (Optional)</p>	IRR 76,060,000	
77	DS-2CD2T83G0-I8	<p>8 MP IR Fixed Bullet Network Camera - 1/2.5" Progressive Scan CMOS -3840 × 2160 @15 fps 2.8/4/6/8 mm fixed lens - Color: 0.01 lux @(F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR - H.265+, H.265, H.264+, H.264 - 2 Behavior analyses and face detection - 120dB WDR - BLC/3D DNR/ROI - IP67 - Built-in micro SD/SDHC/SDXC card slot, up to 128 G-up to 80m IR range</p>	تماس بگیرید	
78	DS-2CD2T85G1-I5	<p>4K Powered-by-DarkFighter Fixed Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	IRR 92,810,000	
79	DS-2CD2T85G1-I8	<p>4K Powered-by-DarkFighter Fixed Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) Robust structure design with full metal materials.</p>	IRR 95,600,000	
80	DS-2CD2T83G2-4I	<p>High quality imaging with 8 MP resolution Efficient H.265+ compression technology Clear imaging against strong backlight due to 120 dB WDR technology Focusing on human and vehicle classification based on deep learning Water and dust resistant (IP67)</p>	IRR 83,830,000	






81	DS-2CD2T86G2-4I	High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light by 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	IRR 115,350,000	
82	DS-2CD2T86G2-4I (2.8mm)	4K AcuSense Fixed Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light by 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Water and dust resistant (IP67)	IRR 120,150,000	
83	Exir Dome Series			
84	DS-2CD2327WD-I	Up to 2 megapixel high resolution - Full HD1080p video - Dual stream - 2.8mm/4mm/6mm fixed lens - 120dB Wide Dynamic Range - 3D Digital Noise Reduction - Backlight Compensation - DC12V & PoE - Support H.264+ - High performance EXIR LED - Up to 30m IR range - IP67 weather proof protection - 3-axis adjustment - Mobile Monitoring via EZVIZ P2P or Hik-Connect	تماس بگیریید	
85	DS-2CD2345FWD-I	Up to 2 megapixel high resolution - Full HD1080p video - Dual stream - 2.8mm/4mm/6mm fixed lens - 120dB Wide Dynamic Range - 3D Digital Noise Reduction - Backlight Compensation - DC12V & PoE - Support H.264+ - High performance EXIR LED - Up to 30m IR range - IP67 weather proof protection - 3-axis adjustment - Mobile Monitoring via EZVIZ P2P or Hik-Connect	تماس بگیریید	
86	Mini Dome Series			
87	DS-2CD2523G0-IS	1/2.7" Progressive Scan CMOS - 1920 x 1080@30fps - H.265+/H.265/H.264+/H.264/MJPEG - IR: up to 10 m 120dB WDR - Built-in Micro SD/SDHC/SDXC slot, up to 128 GB - PoE - EXIR - Color: 0.01 Lux @ (F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR -S: Built-in MIC, audio/alarm IO	تماس بگیریید	
88	DS-2CD2542FWD-IS	1/3" Progressive CMOS, ICR, 0lux with IR, 2688x1520:20fps, 4mm/F2.0 lens (2.8mm, 6mm optional), H.264+/H.264/MJPEG, VCA functions; 3 streams, IP67, DC12V & PoE, 120dB WDR, 3D DNR, BLC, IR: up to 10m, support on-board storage up to 128GB(SD card not included), HIK-Connect cloud service-S: Built-in MIC, audio/alarm IO	تماس بگیریید	






89	DS-2CD2525FWD-I	<p>2 MP Powered-by-DarkFighter Fixed Mini Dome Network Camera</p> <p>High quality imaging with 2 MP resolution</p> <p>Excellent low-light performance via powered-by-DarkFighter technology</p> <p>Efficient H.265+ compression technology</p> <p>Clear imaging against strong back light due to 120 dB true WDR technology</p> <p>-W: Wi-Fi connection</p> <p>-S: built-in microphone, audio and alarm interface available</p> <p>Water and dust resistant (IP66) and vandal proof (IK08)</p> <p>Mini size suitable for limited space</p>	تماس بگیریید	
90	Lite Bullet Vari-Facal Motorized Series			
91	DS-2CD1623G0-I	<p>2MP Bullet Network camera - 2.8-12mm varifocal lens - EXIR - 1/2.8" progressive scan CMOS - BLC/3D DNR/ROI1920 × 1080@30fps - Up to 30 m IR range - IP67 - Digital WDR - H.265+, H.265, H.264+, H.264Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB</p>	تماس بگیریید	
92	DS-2CD1623G0-IZ	<p>2MP Bullet Network camera - 2.8-12mm varifocal lens - EXIR - 1/2.8" progressive scan CMOS - BLC/3D DNR/ROI1920 × 1080@30fps - Up to 30 m IR range - IP67 - Digital WDR - H.265+, H.265, H.264+, H.264Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z:Motorized VF lens</p>	تماس بگیریید	
93	DS-2CD1643G0-IZ	<p>4 MP EXIR VF Bullet Network Camera, 1/3" progressive scan CMOS - BLC/3D DNR/ROI - 2560 × 1440@20fps ,Up to 30 m IR range, 2.8 mm to 12 mm varifocal lens - IP67- H.265+, H.265, H.264+, H.264 - 120dB True WDR - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux@ (F1.6, AGC ON) - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z:Motorized VF lens</p>	IRR 72,030,000	
94	DS-2CD1653G0-I	<p>5 MP Varifocal Bullet Network Camera. High quality imaging with 5 MP resolution; Efficient H.265+ compression technology; Clear imaging even with strong</p>	IRR 52,250,000	
95	Lite Dome Vari-Facal Series			
96	DS-2CD1743G0-IZ	<p>4.0 MP VF Network Dome Camera-1/3" progressive scan CMOS - 3D DNR (Digital Noise Reduction) 2560 × 1440@20fps Up to 30 m IR range- 2.8 mm to 12 mm manual/motorized (with - PoE (Power over Ethernet)- IP67 H.265+, H.265, H.264+, H.264- Dual stream- 120 dB WDR (Wide Dynamic Range) - Z:Motorized VF lens</p>	IRR 91,340,000	

97	DS-2CD1753G0-I	5 MP Varifocal Dome Network Camera High quality imaging with 5 MP resolution, Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR, Up to 256 GB memory card slot for storage, 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring, Water and dust resistant (IP67) and vandal proof (IK10), EXIR 2.0: advanced infrared technology with long IR range	تماس بگیریید	
98	DS-2CD1753G0-IZ	High quality imaging with 5 MP resolution Efficient H.265+ compression technology Clear imaging even with strong back lighting due to 120 dB WDR Up to 256 GB memory card slot for storage 2.8 to 12 mm motorized varifocal lens for easy installation and monitoring Water and dust resistant (IP67) and vandal proof (IK10) EXIR 2.0: advanced infrared technology with long IR range	IRR 98,470,000	
99	Bullet Vari-Facal Motorized Series			
100	DS-2CD2625FWD-IZS	2MP Powered by DarkFighter Varifocal Bullet Network Camera High quality imaging with 2 MP resolution, Excellent low-light performance via powered-by-DarkFighter technology, Efficient H.265+ compression technology, Clear imaging against strong back light due to 120 dB true WDR technology, Water and dust resistant (IP66) and vandal proof (IK10), Motorized varifocal lens for easy installation and monitoring full metal materials.	تماس بگیریید	
101	DS-2CD2632F-I	3 MP IR VF Bullet Network Camera - 1/3" Progressive CMOS, ICR, Olux with IR, 2048x1536:25fps(P)/30fps(N), 2.8~12mm VF lens, H.264/MJPEG/H.264+ , dual-stream, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR: up to 30m, Support on-board card slot (SD card not included), Support Mobile Monitoring via EZVIZ P2P	تماس بگیریید	
102	DS-2CD2643G2-IZS	4 MP WDR Motorized Varifocal Bullet Network Camera, High quality imaging with 4 MP resolution Motorized varifocal lens for easy installation and monitoring Clear imaging against strong backlight due to 120 dB WDR technology Efficient H.265+ compression technology, (IP67) and vandal resistant (IK10) Focus on human and vehicle targets classification based on deep learning	IRR 107,280,000	
103	DS-2CD2645FWD-IZS	4 MP Powered-by-DarkFighter Varifocal Bullet Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.	تماس بگیریید	

104	DS-2CD2663FG0-IZS	6 MP IR VF Bullet Network Camera - BLC/3D DNR/ROI - IP67, IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - 1/2.9" Progressive Scan CMOS - 3072 × 2048@20 fps -2.8 to 12 mm varifocal lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.264+, H.264 - IR Range up to 50m - 120dB WDR - 2 Behavior analyses, and face detection - Z:Motorized VF lens	تماس بگیریید	
105	DS-2CD2685G1-IZS	4K Powered-by-DarkFighter Varifocal Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) and vandal proof (IK10) Motorized vari-focal lens for easy installation and monitoring Robust structure design with full metal materials.	تماس بگیریید	
106	DS-2CD2683G2-IZS	8 MP AcuSense Motorized Varifocal Bullet Network Camera High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Efficient H.265+ compression technology Clear imaging against strong backlight due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP67) and vandal-resistant (IK10)	IRR 120,580,000	
107	DS-2CD2685FWD-IZS	4K Powered-by-DarkFighter Varifocal Bullet Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials	تماس بگیریید	
108	DS-2CD2683G0-IZS	8 MP(4K) IR Vari-focal Bullet Network Camera - 1/2.5" Progressive Scan CMOS - 3840 × 2160@15fps - 2.8 to 12 mm varifocal lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.264+, H.264 - IR Range up to 50m - 120dB WDR - 2 Behavior analyses, and face detection - BLC/3D DNR/ROI • IP67, IK10 - Z:Motorized VF lens	تماس بگیریید	

109	DS-2CD2686G2-IZS (2.8-12mm)	<p>High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP66) and vandal proof (IK10)</p>	IRR 181,590,000	
110 Dome Vari-Facal Motorized Series				
111	DS-2CD2743G2-IZS	<p>4 MP Outdoor WDR Motorized Varifocal Dome Network Camera High quality imaging with 4 MP resolution Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology S: audio and alarm interface available Water and dust resistant (IP67) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials</p>	IRR 106,560,000	
112	DS-2CD2746G2-IZS	<p>4 MP AcuSense Motorized Varifocal Dome Network Camera High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Motorized varifocal lens for easy installation and monitoring Clear imaging against strong backlight due to 120 dB true WDR technology Efficient H.265+ compression technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface for available</p>	تماس بگیرید	
113	DS-2CD2745FWD-IZS	<p>4 MP Powered-by-DarkFighter Varifocal Dome Network Camera High quality imaging with 4 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP66) and vandal proof (IK10) Motorized varifocal lens for easy installation and monitoring Robust structure design with full metal materials.</p>	تماس بگیرید	
114	DS-2CD2783G2-IZS	<p>8 MP AcuSense Motorized Varifocal Dome Network Camera High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Efficient H.265+ compression technology Clear imaging against strong backlight due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP67) and vandal-resistant (IK10)</p>	تماس بگیرید	

115	DS-2CD2763G1-IZS	6 MP IR Vari-focal Dome Network Camera - 1/2.9" Progressive Scan CMOS - 3072 ×2048@20fps - 2.8 to 12 mm varifocal lens - Max IR distance: 30 meters - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.264+, H.264 - 120dB WDR - 2 Behavior analyses, and face detection - BLC/3D DNR/ROI - IP67, IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z: Motorized VF lens	تماس بگیریید	
116	DS-2CD2783G0-IZS	8 MP(4K) IR Vari-focal Dome Network Camera - 1/2.5" Progressive Scan CMOS - 3840 ×2160@15fps - Max IR distance: 30 meters - 2.8 to 12 mm varifocal lens - Color: 0.01 Lux @ (F1.2, AGC ON), 0.018 Lux @ (F1.6, AGC ON), 0 Lux with IR - H.265+, H.265, H.264+, H.264 - 120dB WDR - 2 Behavior analyses, and face detectio - BLC/3D DNR/ROI - IP67 - IK10 - Built-in micro SD/SDHC/SDXC card slot, up to 128 GB - Z: Motorized VF lens	تماس بگیریید	
117	DS-2CD2785G1-IZS	4K Powered-by-DarkFighter Varifocal Dome Network Camera High quality imaging with 8 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Water and dust resistant (IP67) and vandal proof (IK10) Motorized vari-focal lens for easy installation and monitoring Robust structure design with full metal materials.	تماس بگیریید	
118	DS-2CD2786G2-IZS	4K AcuSense Varifocal Dome Network Camera High quality imaging with 8 MP resolution Motorized varifocal lens for easy installation and monitoring Excellent low-light performance via powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle targets classification based on deep learning Audio and alarm interface available Water and dust resistant (IP66) and vandal proof (IK10)	تماس بگیریید	
119	Fish Eye Series			
120	DS-2CD2955FWD-I	5 MP Network Fisheye Camera, Up to 5 megapixel high resolution, 2560 × 1920 @30fps, H.265, H.265+, H.264+, H.264, Support 14 display modes, FOV: horizontal FOV 180°, vertical FOV 180°, Dual video streams, DC12V & PoE (802.3af), Digital Noise Reduction, Support on-board storage, up to 128 GB, Up to 8m IR range	تماس بگیریید	

121	DS-2CD6332FWD-IS	<p>360° zero-blind zone image: a fisheye network camera capable of providing a 360 degree panoramic image of its surveillance scene</p> <p>IP66/IK10 water resistant and vandal proof, preventing water ingress for outdoor use</p> <p>Multi dewarping modes: the image can be dewarped to normal image for viewing intuitively</p> <p>Build-in mic and speaker: the camera supports two-way audio for real-time audio security monitoring and communication</p> <p>Built-in IR light: an IR range of 15 meters provides good visibility in low or even zero-light environments</p>	تماس بگیریید	
122	DS-2CD2955FWD-IS	<p>5 MP Network Fisheye Camera, Up to 5 megapixel high resolution, 2560 × 1920 @30fps, H.265, H.265+, H.264+, H.264, Support 14 display modes, FOV: horizontal FOV 180°, vertical FOV 180°, Dual video streams, DC12V & PoE (802.3af), Digital Noise Reduction, Support on-board storage, up to 128 GB, Up to 8m IR range, -S: Audio/Alarm IO</p>	تماس بگیریید	
123	Cube Smart Series			
124	DS-2CD2420F-I(W)	<p>Up to 2 megapixel (1920 × 1080 @ 30 fps) resolution - Standard video compression with high compression ratio, ROI (region of interest) encoding - Progressive scan CMOS - Built-in Micro SD/SDHC/SDXC card slot, up to 128 GB- IR range approx. 10 meters - Two-way audio - Built-in microphone and speaker -Support Wi-Fi, support WPS configuration with one touch - Support PIR(Passive Infrared Detection) - IR cut filter with auto switch - Integrated mount for easy installation, Digital Wide Dynamic Range, Auto-electronic shutter</p>	تماس بگیریید	
125	DS-2CD2421G0-IW	<p>1/2.7" Progressive Scan CMOS - 1920 × 1080@30fps - IR: 10 m - PIR: 10m - H.265, H.265+ DWDR - Built-in Micro SD/SDHC/SDXC slot, up to 128 GB - PoE - EXIR - Wi-Fi (Optional) - Color: 0.01 Lux @ (F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR -W: Built-in Wi-Fi with WPS</p>	تماس بگیریید	
126	DS-2CD2423G0-IW	<p>1/2.7" Progressive Scan CMOS - 1920 × 1080@30fps - IR: 10 m - PIR: 10m - H.265, H.265+ 120dB WDR - Built-in Micro SD/SDHC/SDXC slot, up to 128 GB - PoE - EXIR - Wi-Fi (Optional) - Color: 0.01 Lux @ (F1.2, AGC ON), 0.028 lux @(F2.0, AGC ON), 0 lux with IR -W: Built-in Wi-Fi with WPS</p>	تماس بگیریید	






127	DS-2CD2443G0-IW	1/3" Progressive Scan CMOS - 2688 × 1520@30fps - IR: 10 m - PIR: 10m - 120dB WDR -Video Compression: H.265+/H.265/H.264+/H.264/MJPEG - Built-in Micro SD/SDHC/SDXC slot, up to 128 GB - Lens 2.8 mm, horizontal FOV: 98°, vertical FOV: 55° -W: Built-in Wi-Fi with WPS	IRR 60,510,000	
128	Pin Hole Series			
129	DS-2CD2D14WD	1 MP Pin Hole Camera - 1/4" Progressive CMOS, Electronic Day/night, Color: 0.01lux/F1.2, B/W: 0.001lux/F1.2, 1280x720: 25fps(P)/30fps(N), 3.6mm/F1.2 lens, H.264/MJPEG, dual-stream, DC12V, 100dB WDR, 3D DNR, BLC, Support Mobile Monitoring via EZVIZ P2P	IRR 29,500,000	
130	پ			
131	DS-2CD2Q10FD-IW	1 MP CMOS PT Camera - 1/4" Progressive Scan CMOS - Up to 1.0 megapixel resolution - Support motorized Pan & Tilt - Digital WDR - 3D DNR - IR range approx. 10 meters - Support Wi-Fi, support WPS configuration with one touch (-W) - Two-way audio - Built-in microphone and speaker - Support 128G on-board storage - 5V DC±10% - Pan & Tilt Control Pan: 0° - 355°, Tilt: -20° - 90	تماس بگیریید	
132	2U Smart Series			
133	DS-2CV2U21FD-IW	2.0 MP Network Cube Camera - 1/2.8" Progressive CMOS, ICR, 0lux with IR, 1920x1080: 25fps(P)/30fps(N), 2.8mm lens, H.264/MJPEG, dual-stream, 3D DNR, 5m IR, support on-board storage up to 128GB, HIK-Connect cloud service, Build-in microphone and speaker, support two-way audio. Built-in Wi-Fi, 12VDC power supply - 32GB-T: Include 32GB sd card.	تماس بگیریید	
134	People Counting			
135	IDS-2CD6412FWD/C	Minimum Illumination: Color: 0.01 lux @ (f/1.2, AGC on), 0.028 lux @ (f/2.0, AGC on) 1.3 MP (1280 x 960) Resolution Lenses: 2.1 mm or 2.8 mm H.264/MJPEG/MPEG4 Frame Rate: 50 Hz: 25 fps (1280 x 960), (1280 x 720) 12 VDC, 7.5 W	تماس بگیریید	
136	IP PTZ Camera			








137	DS-2DE4A225IW-DE	4-inch 2 MP 25X Powered by DarkFighter IR Network Speed Dome High quality imaging with 2 MP resolution,Excellent low-light performance via powered-by, DarkFighter technology, Clear imaging against strong back lighting due to 120 dB WDR technology, Pan and tilt ability enables camera to monitor zones of interest,25x optical zoom allows for closer viewing of subjects in expansive areas,Up to 50m IR range ensures safety at night (IP66)	IRR 124,900,000	
138	DS-2SE4C425MWG-E	TandemVu 4-inch 4 MP 25X Colorful & IR Network Speed Dome Captures a large area and great details at the same time High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology Secures an expansive area with 25x optical zoom and 16x digital zoom Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 100 m IR distance & 30 m white light Supports 12V DC & PoE+ Focuses on human and vehicle targets classification based on deep learning	IRR 358,930,000	
139	DS-2SE4C225MWG-E	TandemVu 4-inch 2 MP 25X Colorful & IR Network Speed Dome Captures a large area and great details at the same time High quality imaging with 2 MP resolution Excellent low-light performance with powered-by-DarkFighter technology and ColorVu technology Secures an expansive area with 25x optical zoom and 16x digital zoom Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus Expansive night view with up to 100 m IR distance & 30 m white light Supports 12V DC & PoE+ Focuses on human and vehicle targets classification based on deep learning	IRR 282,340,000	
140	DS-2DE4220IW-DE	2MP 20x Network IR Speed Dome - 1/3" CMOS sensor, H.264 codec, Color: 0.02lux/F1.5, B/W:0.02lux/F1.5, Optical Zoom:20x, Focus:4.7-94.0mm, Digital Zoom:16X, Pan range:360° endless; Tilt range: -15°~90°(Auto Flip), Pan Speed: 0.1° - 80°/s, Tilt Speed: 0.1° - 80°/s, 100m IR Distance, POE&12VDC	تماس بگیرید	
141	DS-2DE4225IW-DE-T5	2MP 25x Network IR Speed Dome - 1/2.8" progressive scan CMOSUp to 1920 x 1080@30fps resolution-Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON)0 Lux with IR25x optical zoom Focal Length 4.8 mm to 120 mm - 16x digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with powered-by-DarkFighter technology	IRR 197,870,000	

142	DS-2DE4425IW-DE T5	4MP 25× Network IR Speed Dome - 1/2.8" progressive scan CMOS Up to 2560 × 1440@30fps resolution-Min. illumination: Color: 0.005 Lux @(F1.6, AGC ON) B/W: 0.001 Lux @(F1.6, AGC ON) 0 Lux with IR 25× optical zoom Focal Length 4.8 mm to 120 mm - 16× digital zoom - WDR, HLC, BLC, 3D DNR, Defog, EIS, Regional Exposure, Regional Focus - Up to 100 m IR distance - 12 VDC & PoE+ (802.3 at, class4) Support H.265+/H.265 video compression - Excellent low-light performance with powered-by-DarkFighter technology	IRR 228,010,000	
143	DS-2DE5432IW-AE-S5	5-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome 1/2.8" Progressive Scan CMOS High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology 32× optical zoom, 16× digital zoom WDR, HLC, BLC, 3D DNR, Defog, Regional Exposure, Regional Focus, Rapid Focus Up to 150 m IR distance Accurate human and vehicle target classification, alarm, and linked tracking based on deep learning algorithm Face capture: Up to 5 faces captured at the same time	تماس بگیریید	
144	DS-2DE5220IW-AE	DS-2DE5220IW-AE 2MP 20× Network IR Speed Dome 2.54cm(1/2.8") Progressive Scan CMOS Up to 1920 × 1080 resolution 20× Optical Zoom, 16× Digital Zoom Digital WDR 3D intelligent positioning function Up to 150 m IR distance Hi-PoE/24 VAC power supply Support H.265 video compression	تماس بگیریید	
145	DS-2DE4A320IW-DE	3MP Network IR PTZ Camera 1/2.8" Progressive Scan CMOS Up to 2048 × 1536 resolution 20× Optical Zoom, 16× Digital Zoom WDR, 3D DNR, HLC, Smart IR Up to 50 m IR distance 12 VDC & PoE+ (802.3at, class4) Support H.265 video compression	تماس بگیریید	







146	DS-2DF6A236X-AEL	<p>6-inch 2 MP 36X DarkFighter Network Speed Dome High quality imaging with 2 MP resolution Excellent low-light performance via DarkFighter technology 36x optical zoom provides close up views over expansive areas Intelligent functions based on deep learning Water and dust resistant (IP67) and vandal proof (IK10).</p>	تماس بگیریید	
147	DS-2CD7A232IW-AEB(T5)	<p>7-inch 2MP 32X Powered by DarkFighter IR Network Speed Dome 1/1.8" progressive scan CMOS High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32x optical zoom and 16x digital zoom provide close up views over expansive areas Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning Face capture: Up to 5 faces captured at the same time</p>	تماس بگیریید	
148	DS-2DE7A432IW-AEB (T5)	<p>7-inch 4 MP 32X Powered by DarkFighter IR Network Speed Dome 1/1.8" progressive scan CMOS High quality imaging with 4 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Audio visual alarm: The white flashing light and audible warning can be triggered by certain events 32x optical zoom and 16x digital zoom provide close up views over expansive areas Expansive night view with up to 200 m IR distance Focuses on human and vehicle targets classification based on deep learning Face capture: Up to 5 faces captured at the same time</p>	IRR 360,110,000	
155	DS-2DF8236I5W-AELW	<p>High quality imaging with 2 MP resolution Excellent low-light performance via powered-by-DarkFighter technology Clear imaging against strong back lighting due to 120 dB WDR technology Pan and tilt ability enables camera to monitor zones of interest 32x optical zoom allows for closer viewing of subjects in expansive areas Up to 150m IR range ensures safety at night Water and dust resistant (IP66).</p>	IRR 1,143,020,000	
158	NVR 4 Channel			
159	DS-7104NI-Q1/M	<p>IP video input : 4-ch Up to 4 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 1920 × 1080p/60Hz - Capacity : 1 SATA interface Up to 6TB capacity</p>	تماس بگیریید	






160	DS-7104NI-Q1	4-ch Mini 1U NVR H.265+/H.265/H.264+/H.264 video compression Up to 40 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth Up to 4-ch network camera inputs Up to 4-ch 1080p decoding capability HDMI and VGA simultaneous output	تماس بگیرید	
161	DS-7104NI-Q1/4P/M	IP video input : 4-ch / 4-ch POE Up to 4 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 1920 × 1080p/60Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیرید	
162	DS-7604NI-Q1	IP video input : 4-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیرید	
163	DS-7604NI-Q1/4P	IP video input : 4-ch / 4-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیرید	
164	DS-7604NI-K1	IP video input : 4-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	IRR 51,380,000	
165	DS-7604NI-K1/4P	IP video input : 4-ch - 4-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 40 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	IRR 79,430,000	
166	NVR 8 Channel			
167	DS-7108NI-Q1/M	IP video input :8-ch Up to 4 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 60 Mbps - HDMI output : 1920 × 1080p/60Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیرید	




168	DS-7108NI-Q1/8P/M	IP video input :8-ch / 8-ch POE Up to 4 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 60 Mbps - HDMI output : 1920 × 1080p/60Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیریید	
169	DS-7608NI-Q2/8P	IP video input : 8-ch / 8-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 80 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	تماس بگیریید	
170	DS-7608NI-Q1	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	تماس بگیریید	
171	DS-7608NI-Q2	Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	تماس بگیریید	
172	DS-7608NI-K1	IP video input : 8-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 80 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	IRR 68,340,000	
173	DS-7608NI-K1/8P	8-ch 1U 8 PoE 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity Up to 80 Mbps incoming bandwidth	IRR 126,190,000	
174	DS-7608NI-K2	8-ch 1U 4K NVR Up to 8-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity 1 HDMI and 1 VGA interfaces, both interfaces support independent video output 2 SATA interfaces for HDD connection (up to 10 TB capacity per HDD) Up to 80 Mbps incoming bandwidth	IRR 71,200,000	
175	NVR 16 Channel			

176	DS-7616NI-Q1	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 1 SATA interface Up to 6TB capacity	تماس بگیریید	
177	DS-7616NI-Q2	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	IRR 79,080,000	
178	DS-7616NI-Q2/16P	IP video input : 16-ch / 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	تماس بگیریید	
179	DS-7616NXI-K1	16-ch 1U K Series AcuSense 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth	IRR 82,240,000	
180	DS-7616NXI-K2	16-ch 1U K Series AcuSense 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth	IRR 83,420,000	
181	DS-7616NXI-K2/16P	16-ch PoE 1U K Series AcuSense 4K NVR Up to 16-ch IP camera inputs, plug & play with 16 Power-over-Ethernet (PoE) interfaces H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	IRR 203,190,000	
182	DS-7616NI-K1	Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 1-ch @ 8MP or 5-ch @ 1080P decoding capacity Up to 160 Mbps incoming bandwidth	تماس بگیریید	


183	DS-7616NI-K2	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	تماس بگیریید	
184	DS-7616NI-K2/16P	IP video input : 16-ch / 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 2 SATA interface Up to 6TB capacity for each disk	IRR 203,190,000	
185	DS-7716NI-Q4	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 178,100,000	
186	DS-7716NI-Q4/16P	IP video input : 16-ch / 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 255,140,000	
187	DS-7716NI-K4	IP video input : 16-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 189,980,000	
188	DS-7716NXI-K4	16-ch 1.5U K Series AcuSense 4K NVR Up to 16-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 160 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	IRR 205,510,000	

189	DS-7716NI-K4/16P	IP video input : 16-ch / 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 160 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	تماس بگیرید	
190	Network Video Recorders- Ultra Series			
191	DS-8616NI-K8	16-ch 2U 4K NVR,Up to 16 channel IP cameras can be connected,Supports decoding H.265+/H.265/H.264+/H.264/MPEG4 video formats Up to 4K high-definition live view, storage and playback, Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected,2 HDMI (different source) and 2 VGA (different source) interfaces,8 HDD can be used for continuous video recording,Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera	IRR 147,000,000	
192	NVR 32 Channel			
193	DS-7732NI-Q4	IP video input : 32-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 200 Mbps - HDMI output : 1920 × 1080/60Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	تماس بگیرید	
194	DS-7732NI-Q4/16P	IP video input : 32-ch / 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 200 Mbps - HDMI output : 1920 × 1080/60Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 203,190,000	
195	DS-7732NI-K4	IP video input : 32-ch Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 256 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk	IRR 226,950,000	
196	DS-7732NXI-K4	32-ch 1.5U K Series AcuSense 4K NVR Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs	IRR 226,950,000	

197	DS-7732NXI-I4/S	<p>32-ch 1.5U K Series AcuSense 4K NVR Up to 32-ch IP camera inputs H.265+/H.265/H.264+/H.264 video formats Up to 2-ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity Up to 256 Mbps incoming bandwidth Adopt Hikvision Acusense technology to minimize manual effort and security costs</p>	IRR 383,950,000	
198	IDS-7732NXI-I4/8S	<p>32-ch 1.5U 4K DeepinMind NVR H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 16-ch perimeter protection Up to 8-ch facial recognition for video stream, or up to 16-ch facial recognition for face picture Up to 8-ch video structuralization Up to 32-ch IP cameras can be connected Up to 16-ch 1080p decoding capability</p>	IRR 719,160,000	
199	DS-7732NI-K4/16P	<p>IP video input : 32-ch - 16-ch POE Up to 8 MP resolution - Decoding format : H.265+/H.265/ H.264+/H.264 - Incoming bandwidth : 256 Mbps - HDMI output : 4K (3840 × 2160)/30Hz - Capacity : 4 SATA interface Up to 6TB capacity for each disk</p>	IRR 320,940,000	
200	DS-8632NI-K8	<p>Up to 32 channel IP cameras can be connected Supports decoding H.265+/H.265/H.264+/H.264/MPEG4 video formats Up to 4K high-definition live view, storage and playback Up to 160 Mbps high incoming bandwidth ensures IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces 8 HDD can be used for continuous video recording Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera</p>	IRR 218,820,000	
201	IDS-9632NXI-I8/4F	<p>32-ch 2U 4K DeepinMind NVR H.265+/H.265/H.264+/H.264 video formats Up to 32 channel IP cameras can be connected 8 HDD can be used for continuous video recording Intelligent analytics based on deep learning algorithm Up to 16-ch perimeter protection Up to 8-ch facial recognition for video stream, or up to 16-ch facial recognition for face picture Up to 4-ch video structuralization Up to 16-ch 1080p decoding capability</p>	IRR 3,213,890,000	

202	DS-9632NXI-I8/S	<p>32-ch 2U 4K AcuSense NVR H.265+/H.265/H.264+/H.264 video formats Intelligent analytics based on deep learning algorithm Up to 4-ch perimeter protection Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture Up to 32-ch IP camera inputs Up to 16-ch 1080p decoding capability Up to 320 Mbps incoming bandwidth</p>	تماس بگیریید	
203	DS-9632NI-I8	<p>32-ch 2U 4K NVR Up to 32 channel IP cameras can be connected Up to 12 MP high-definition live view, storage and playback Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces 8 HDD can be used for continuous video recording Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera Advanced streaming technology enables smooth live view in poor network conditions Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	تماس بگیریید	
204	DS-9632NI-I16	<p>32-ch 3U 4K NVR Up to 32 channel IP cameras can be connected Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected 2 HDMI (different source) and 2 VGA (different source) interfaces 16 HDD can be used for continuous video recording Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera Advanced streaming technology enables smooth live view in poor network conditions Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	تماس بگیریید	

205	DS-9664NI-I8	<p>64-ch 2U 4K NVR</p> <p>Up to 64 channel IP cameras can be connected</p> <p>Up to 12 MP high-definition live view, storage and playback</p> <p>Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected</p> <p>2 HDMI (different source) and 2 VGA (different source) interfaces</p> <p>8 HDD can be used for continuous video recording</p> <p>Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera</p> <p>Advanced streaming technology enables smooth live view in poor network conditions</p> <p>Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	تماس بگیریید	
206	DS-9664NXI-I8/S	<p>64-ch 2U 4K AcuSense NVR</p> <p>H.265+/H.265/H.264+/H.264 video formats</p> <p>Intelligent analytics based on deep learning algorithm</p> <p>Up to 4-ch perimeter protection</p> <p>Up to 1-ch facial recognition for video stream, or up to 4-ch facial recognition for face picture</p> <p>Up to 64-ch IP camera inputs</p> <p>Up to 16-ch 1080p decoding capability</p> <p>Up to 320 Mbps incoming bandwidth</p>	تماس بگیریید	
207	DS-8664NI-I8	<p>64-ch 2U 4K NVR</p> <p>Up to 64 channel IP cameras can be connected</p> <p>Up to 12 MP high-definition live view, storage and playback</p> <p>Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected</p> <p>2 HDMI (different source) and 2 VGA (different source) interfaces</p> <p>8 HDD can be used for continuous video recording</p> <p>Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera</p> <p>Advanced streaming technology enables smooth live view in poor network conditions</p> <p>Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss</p>	تماس بگیریید	
208	DS-9664NI-I16	<p>64-ch 3U 4K NVR</p> <p>Up to 64 channel IP cameras can be connected</p> <p>Up to 320 Mbps (or 200 Mbps when RAID is enabled) high incoming bandwidth ensures IP cameras can be connected</p> <p>2 HDMI (different source) and 2 VGA (different source) interfaces</p> <p>16 HDD can be used for continuous video recording</p> <p>Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera</p> <p>Advanced streaming technology enables smooth live view in poor network conditions</p> <p>Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</p>	تماس بگیریید	

209	BRACKET			
210	DS-1671ZJ-SD11	In-Ceiling Mount for 4-inch PTZ Camera Steel & Plastic Hikvision White	IRR 9,370,000	
211	DS-1604ZJ	Wall mounting bracket with the junction box Aluminum alloy material with surface spray treatment Junction box supports bottom outlet and back outlet The hook for safety rope facilitates speed dome's installation	IRR 38,180,000	