




















10	DS-2CE76D0T-ITPF	<p>2 MP Indoor Fixed Turret Camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 12,060,000	
11	DS-2CE76D0T-EXIPF 2.8	<p>2MP Indoor Fixed Turret Camera</p> <ul style="list-style-type: none"> • High quality imaging with 2 MP, 1920 × 1080 resolution • 2.8 mm, 3.6 mm fixed lens • Up to 20 m IR distance for bright night imaging • One port for four switchable signals (TVI/AHD/CVI/CVBS) 	IRR 13,110,000	
12	DS-2CE76D0T-ITPFS	<p>2 MP Audio Indoor Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 14,840,000	
13	DS-2CE76D0T-ITMFS	<p>2 MP Audio Fixed Turret Camera 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 18,420,000	
14	DS-2CE76D0T-ITMF	<p>2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 16,100,000	
15	DS-2CE56D0T-VFIR3F	<p>2 MP Manual Varifocal Turret Camera 2.8 mm to 12 mm varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP66) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 31,570,000	
16	DS-2CE10KF0T-FS	<p>High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	IRR 34,810,000	
17	Turbo HD - 2MP - ColorVu			







18	DS-2CE70DF0T-PF ColorVu	<p>2 MP ColorVu Indoor Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 20,730,000	
19	DS-2CE70DF3T-PF Colorvu	<p>High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 25,100,000	
20	DS-2CE12DF3T-F (3.6)	<p>2 MP ColorVu Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 32,770,000	
21	DS-2CE12DF3T-FS (2.8)	<p>2 MP ColorVu Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 37,530,000	
22	DS-2CE72DFT-FC	<p>2 MP full time color turret camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 10,520,000	

23	DS-2CE72DF3T-F ColorVu	<p>2 MP ColorVu Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 24,880,000	
24	DS-2CE10DF3T-FS	<p>High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 33,360,000	
25	DS-2CE10DF3T-F	<p>High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 23,790,000	
26	DS-2CE72KF0T-FS (2.8)	<p>3K ColorVu Audio Fixed Turret Camera High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm and 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	IRR 36,630,000	
27	DS-2CE12KF0T-FS	<p>3K ColorVu Audio Fixed Bullet Camera High quality imaging with 3K, 2960 × 1665 resolution 24/7 color imaging with F1.0 aperture 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	IRR 40,260,000	

28	DS-2CE10DF0T-F ColorVu	<p>2 MP ColorVu Fixed Mini Bullet Camera 2 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 31,460,000	
29 Turbo HD - 2MP - Ultra Low Light Series				
30	DS-2CE76D3T-ITPF	<p>2 MP Ultra Low Light Indoor Fixed Turret Camera 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 17,060,000	
31	DS-2CE76D3T-ITMF	<p>2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,350,000	
32	DS-2CE78D0T-ITFS	<p>2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 16,880,000	
33	DS-2CE16D3T-IT3F (2.8)	<p>2 MP Ultra Low Light Fixed Bullet Camera 2 MP bullet camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 21,780,000	
34	DS-2CE16D3T-ITF	<p>2 MP Ultra Low Light Fixed Mini Bullet Camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 21,210,000	

35	DS-2CE16D8T-IT3E	<p>2 MP Ultra Low Light PoC Fixed Bullet Camera 2 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	IRR 21,600,000	
36	Turbo HD - 5MP			
37	DS-2CE16H0T-ITF	<p>5 MP Fixed Mini Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 18,010,000	
38	DS-2CE16H0T-ITPF	<p>5 MP bullet camera EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,370,000	
39	DS-2CE16H0T-ITFS	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 22,580,000	
40	DS-2CE16H0T-ITPFS (2.8)	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 20,330,000	
41	DS-2CE16H0T-ITPFS (3.6)	<p>5 MP Audio Fixed Mini Bullet Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 25 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	20,980,000	








42	DS-2CE16H0T-IT1F	<p>5 MP Fixed Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 14,030,000	
43	DS-2CE16H0T-IT3F	<p>5 MP Fixed Bullet Camera 5 MP bullet camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 14,380,000	
44	DS-2CE16H0T-IT5F	<p>5 MP Fixed Bullet Camera EXIR 2.0: advanced infrared technology with 80 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 16,690,000	
45	DS-2CE17H0T-IT1F	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 23,230,000	
46	DS-2CE17H0T-IT3FS(2.8MM)	<p>5 MP Audio Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	IRR 29,170,000	
47	DS-2CE17H0T-IT3F 3.6MM	<p>5MP Bullet Kamera Lichtempfindlichkeit 0,01Lux Brennweite 3.6mm Bis zu 40m Nachtsicht IP67 Wetterfest</p>	IRR 24,100,000	
48	DS-2CE17H0T-IT3F(2.8)	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 22,810,000	

50	DS-2CE17H0T-IT5F	<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 × 1944 resolution 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 80 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 24,460,000	
51	DS-2CE16H0T-IT3ZF	<p>5 MP Motorized Varifocal Bullet Camera 5 MP bullet camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 28,750,000	
52	DS-2CE10HFT-F (3.6)	<p>5 MP ColorVu Fixed Mini Bullet Camera 5 MP full time color bullet camera 24/7 full color imaging Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 34,810,000	
53	DS-2CE12HFT-F (3.6)	<p>5 MP full time color bullet camera 24/7 full color imaging 2.8 mm fixed focal lens Warm supplemental light with 40 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 40,160,000	
54	DS-2CE76H0T-ITMF	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 20,990,000	
55	DS-2CE76H0T-ITMFS	<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 23,780,000	







56	DS-2CE76H0T-ITPF 2.4	<p>5 MP Indoor Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 17,410,000	
57	DS-2CE76H0T-ITPFS	<p>5 MP Audio Indoor Fixed Turret Camera 5 MP, 2560 × 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 20 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS)</p>	IRR 20,280,000	
58	DS-2CE78H0T-IT1F (2.4MM)	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,360,000	
59	DS-2CE72HFT-F28 (2.8)	<p>5 MP full time color turret camera 24/7 full color imaging 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 39,330,000	
60	DS-2CE78H0T-IT3F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 25,250,000	
61	DS-2CE78H0T-IT3FS 3.6	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 24,910,000	






62	DS-2CE56H0T-IT1F (2.4)	<p>5 MP high performance COMS 2560 × 1944 resolution 2.8 mm fixed lens EXIR 2.0, smart IR, up to 20 m IR distance OSD menu, 2D DNR, DWDR</p>	IRR 14,410,000	
63	DS-2CE56H0T-IT3F	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 15,570,000	
64	DS-2CE56H0T-ITMF	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 13,620,000	
65	DS-2CE78D0T-IT3FS	<p>5 MP Fixed Turret Camera 5 MP turret camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 23,350,000	
66	DS-2CE79H0T-IT3ZF	<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 × 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 44,830,000	
67	DS-2CE56H0T-IT3ZF	<p>5 MP Motorized Varifocal Turret Camera 5 MP turret camera 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging Water and dust resistant (IP67) One port for four switchable signals (TVI/AHD/CVI/CVBS)</p>	IRR 31,510,000	
68	Turbo HD - 8MP			
69	DS-2CE78U8T-IT3	<p>4K Fixed Turret Camera 8 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67)</p>	IRR 62,540,000	

70	DS-2CE18U8T-IT3	<p>4K Fixed Bullet Camera 8 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTVl and CVBS signals output simultaneously)</p>	IRR 53,730,000	
71	Turbo HD PTZ Camera			
72	DS-2AE4225TI-D	<p>High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology -Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest - 25 x optical zoom allows for closer viewing of subjects in expansive areas - Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66)</p>	IRR 176,770,000	
73	Turbo HD DVR 1080p / 3MP / 4MP lite			
74	DS-7204HQHI-K1	<p>Analog video input 4-ch - <u>Encoding resolution</u> 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265+/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - <u>Frame rate</u>: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - <u>IP video input</u> : 2-ch (up to 6-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 x 1080/60Hz - <u>Audio input</u> 1-ch, RCA - <u>Capacity</u> 1 SATA interface Up to 10 TB capacity</p>	تماس بگیرید	
75	DS-7204HTHI-K1	<p>4-ch 4K 1U H.265 DVR 4 channels and 1 HDD 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTVl/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected</p>	IRR 71,230,000	

76	DS-7204HTHI-M1/S	<p>art Number: iDS-7204HTHI-M1/S 4-ch 4K 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR, Up to 10 TB capacity for each disk False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology, Audio via coaxial cable 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected, Encoding ability up to 8 MP @15 fps Warranty: 1 Years on part</p>	IRR 100,400,000	
77	IDS-7204HQHI-M1/S	<p>4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected.</p>	IRR 45,810,000	
78	DS-7208HQHI-K1	<p><u>Analog video input</u> 8-ch - <u>Encoding resolution</u> 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - <u>Frame rate</u>: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - <u>IP video input</u> : 4-ch (up to 12-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> 1-ch, 1920 × 1080/60Hz - <u>Audio input</u> 1-ch, RCA - <u>Capacity</u> 1 SATA interface Up to 10 TB capacity</p>	تماس بگیرید	
79	IDS-7208HQHI-M1/S	<p>8-ch 1080p 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP)</p>	IRR 67,480,000	
80	DS-7116HQHI-K1	<p><u>Analog video input</u> 16-ch - <u>Encoding resolution</u> 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - <u>Frame rate</u>: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> : 1-ch, 4K (3840 × 2160)/30Hz - <u>Audio input</u> 1-ch, RCA - <u>Capacity</u> 1 SATA interface Up to 6 TB capacity</p>	تماس بگیرید	
81	DS-7208HGHI-F1	<p>8-ch 1080p Lite 1U H.264 DVR 8 channels and 1 HDD 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected</p>	تماس بگیرید	
82	DS-7208HGHI-F2	<p>8-ch 1080p Lite 1U H.264 DVR 8 channels and 2 HDDs 1U DVR H.264+ / H.264 video compression Encoding ability up to 1080p lite @ 25/30 fps 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 10 network cameras can be connected</p>	تماس بگیرید	

83	DS-7208HTHI-k2	8-ch 4K 1U H.265 DVR 4 channels and 2 HDDs 1U DVR Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected	تماس بگیرید	
84	DS-7208HTHI-M2/S	8-ch 4K 1U H.265 AcuSense DVR 8 channels and 2 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 15 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.	IRR 179,190,000	
85	DS-7216HGHI-K1	16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0H.265 Pro+/H.265 Pro/H.265 video compressionHDTV/1/AHD/CVI/CVBS/IP video inputAudio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP)Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTV signal	IRR 50,990,000	
86	DS-7216HQHI-K1	Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output : 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	تماس بگیرید	
87	IDS-7216HQHI-M1/S	16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected.	IRR 124,090,000	
88	IDS-7216HQHI-M2/S	16-ch 1080p 1U H.265 AcuSense DVR 16 channels and 2 HDDs 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 3K/5M Lite @ 12 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected	IRR 151,190,000	

89	DS-7216HQHI-K2	Analog video input 16-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 24-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output : 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	تماس بگیرید	
90	IDS-7232HQHI-M2/S	32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps	IRR 235,930,000	
91	DS-7232HQHI-K2	Analog video input 32-ch - Encoding resolution 4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - Full channel recording at up to 4 MP lite resolution - Frame rate: 4 MP lite@15fps; 1080p lite/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) - IP video input : 8ch (up to 40-ch) Up to 6 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output : 1-ch, 4K (3840 × 2160)/30Hz - Audio input 1-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk	IRR 209,410,000	
92	<u>Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite</u>			
93	DS-7204HUHI-K1	Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 × 1080/60Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity	IRR 66,310,000	
94	IDS-7204HUHI-M1/S	4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.	IRR 67,770,000	
95	DS-7208HUHI-M1/S	8-ch 5 MP 1U H.265 AcuSense DVR 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/1/AHD/CVI/CVBS/IP) Up to 16 network cameras can be connected.	IRR 113,120,000	

96	DS-7216HUHI-M2/S	<p>16-ch 5 MP 1U H.265 AcuSense DVR</p> <p>Deep learning-based motion detection 2.0 for all analog channels</p> <p>Deep learning-based perimeter protection</p> <p>Efficient H.265 pro+ compression technology</p> <p>Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps</p> <p>5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP)</p> <p>Up to 32 network cameras can be connected</p>	IRR 226,670,000	
97	DS-7316HUHI-F4/N	<p>DS-7300HUHI-F4/N Series DVRs provide TurboHD functionality in addition to support for multiple IP cameras (up to 8 MP). Transmission can be over UTP and/or coaxial cable. H.264+ compression offers up to 50 percent smaller file sizes for efficient data.</p> <p>Related products</p>	IRR 447,270,000	
98	DS-7208HUHI-K1	<p><u>Analog video input</u> 8-ch - <u>Encoding resolution</u> 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - <u>Frame rate</u>: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - <u>IP video input</u> : 8-ch (up to 16-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> 1-ch, 4K (3840 × 2160)/30Hz - <u>Audio input</u> 4-ch, RCA - <u>Capacity</u> 1 SATA interface Up to 10 TB capacity</p>	تماس بگیریید	
99	DS-7216HUHI-K2	<p><u>Analog video input</u> 16-ch - <u>Encoding resolution</u> 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - <u>Frame rate</u> : 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - <u>IP video input</u> : 16-ch (up to 32-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> 1-ch, 4K (3840 × 2160)/30Hz - <u>Audio input</u> 4-ch, RCA - <u>Capacity</u> 2 SATA interface Up to 10 TB capacity for each disk</p>	تماس بگیریید	
100	Turbo HD DVR 1080p / 3MP / 4MP / 5MP / 8MP lite (Built in PoC Series)			
101	DS-7204HUHI-K1/P	<p><u>Analog video input</u> 4-ch - <u>Encoding resolution</u> 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - <u>Frame rate</u>: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - <u>IP video input</u> : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> 1-ch 2K (2560 × 1440)/60Hz - <u>Audio input</u> 4-ch, RCA - <u>Capacity</u> 1 SATA interface Up to 10 TB capacity - Provide power supply to PoC cameras over coaxial cable</p>	IRR 66,070,000	
102	DS-7208HUHI-K2/P	<p><u>Analog video input</u> 8-ch - <u>Encoding resolution</u> 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - <u>Video compression</u> H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - <u>Frame rate</u>: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - <u>IP video input</u> : 8-ch (up to 12-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - <u>HDMI output</u> 1-ch, 4K (3840 × 2160)/30Hz - <u>Audio input</u> 4-ch, RCA - <u>Capacity</u> 2 SATA interface Up to 10 TB capacity for each disk - Provide power supply to PoC cameras over coaxial cable</p>	تماس بگیریید	